

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	(EL or electroluminescent) and transistor\$6 ADJ calibrat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 21:14
L2	7	PIXEL\$1 and transistor\$6 ADJ calibrat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 21:21
L3	7	PIXEL\$1 and transistor\$6 ADJ calibrat\$4 AND CALI BRAT\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 21:45
L4	5	PIXEL\$1 and transistor\$6 ADJ calibrat\$4 AND CALI BRAT\$4 AND MEMORY	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 21:46
L5	5	PIXEL\$1 and transistor\$6 ADJ calibrat\$4 AND CALI BRAT\$4 AND MEMORY AND SWITCH\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 21:46
S1	39	Electrical same circuit\$4 same arrange\$4 same display\$3 and input\$4 same terminal same receiv \$4 same signal\$1 and first same memory same element\$1 and stor\$4 same information same first same signal\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/02 22:02

S2	18	Electrical same circuit\$4 same arrange\$4 same display\$3 and input\$4 same terminal same receiv\$4 same signal\$1 and first same memory same element\$1 and stor\$4 same information same first same signal\$1 and driv\$4 same element\$1 same coupl\$4 same first same memory same element\$1 and output\$6 second same signal\$1 and output\$4 same terminal\$1 and accord\$4 and information same first same signal\$1 and calibrat\$4 same circuit\$4 same coupl\$4 and between and driv\$4 same element\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/02 22:07
S3	14	Electrical same circuit\$4 same arrange\$4 same display\$3 and input\$4 same terminal same receiv\$4 same signal\$1 and first same memory same element\$1 and stor\$4 same information same first same signal\$1 and driv\$4 same element\$1 same coupl\$4 same first same memory same element\$1 and output\$6 second same signal\$1 and output\$4 same terminal\$1 and accord\$4 and information same first same signal\$1 and calibrat\$4 same circuit\$4 same coupl\$4 and between and driv\$4 same element\$1 and input\$4 same terminal\$1 and match\$4 same potential\$1 same difference and between and driv\$4 same element\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/02 22:11

S4	21681	Electrical same circuit\$4 same arrange\$4 same display\$3 and input\$4 same terminal same receiv\$4 same signal\$1 and first same memory same element\$1 and stor\$4 same information same first same signal\$1 and driv\$4 same element\$1 same coupl\$4 same first same memory same element\$1 and output\$6 second same signal\$1 and output\$4 same terminal\$1 and accord\$4 and information same first same signal\$1 and calibrat\$4 same circuit\$4 same coupl\$4 and between and driv\$4 same element\$1 and input\$4 same terminal\$1 and match\$4 same potential\$1 same difference and between and driv\$4 same element\$1 and input\$4 same terminal\$1 and during and calibrat\$4 same phase\$1 and prior same receiv\$4 and first same signal\$1 amd match\$3 same voltage\$1 and chang\$4 same requir\$4 and input\$4 same terminal\$1 and during and subsequent and program\$5 same phase\$1 and during and program\$6 same phase\$1 and second same signal\$1 and program\$6 same value and during and previous and program\$6 same phase\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/02 22:16
S5	14	Electrical same circuit\$4 same arrange\$4 same display\$3 and input\$4 same terminal same receiv\$4 same signal\$1 and first same memory same element\$1 and stor\$4 same information same first same signal\$1 and driv\$4 same element\$1 same coupl\$4 same first same memory same element\$1 and output\$6 second same signal\$1 and output\$4 same terminal\$1 and accord\$4 and information same first same	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/02 22:18

		<p>signal\$1 and calibrat\$4  same circuit\$4 same coupl  \$4 and between and driv\$4  same element\$1 and input  \$4 same terminal\$1 and  match\$4 same potential\$1  same difference and  between and driv\$4 same  element\$1 and input\$4  same terminal\$1 and  during and calibrat\$4 same  phase\$1 and prior same  receiv\$4 and first same  signal\$1 and match\$3 same  voltage\$1 and chang\$4  same requir\$4 and input\$4  same terminal\$1 and  during and subsequent and  program\$5 same phase\$1  and during and program\$6  same phase\$1 and second  same signal\$1 and program  \$6 same value and during  and previous and program  \$6 same phase\$1</p>				
S6	14	<p>Electrical same circuit\$4  same arrange\$4 same  display\$3 and input\$4  same terminal same receiv  \$4 same signal\$1 and first  same memory same  element\$1 and stor\$4 same  information same first same  signal\$1 and driv\$4 same  element\$1 same coupl\$4  same first same memory  same element\$1 and output  \$6 second same signal\$1  and output\$4 same terminal  \$1 and accord\$4 and  information same first same  signal\$1 and calibrat\$4  same circuit\$4 same coupl  \$4 and between and driv\$4  same element\$1 and input  \$4 same terminal\$1 and  match\$4 same potential\$1  same difference and  between and driv\$4 same  element\$1 and input\$4  same terminal\$1 and  during and calibrat\$4 same  phase\$1 and prior same  receiv\$4 and first same  signal\$1 and match\$3 same  voltage\$1 and chang\$4  same requir\$4 and input\$4</p>	<p>US-PGPUB;  USPAT; FPRS;  EPO; JPO;  DERWENT;  IBM_TDB</p>	OR	OFF	<p>2010/01/03  11:17</p>

		same terminal\$1 and during and subsequent and program\$5 same phase\$1 and during and program\$6 same phase\$1 and second same signal\$1 and program \$6 same value and during and previous and program \$6 same phase\$1				
S7	14	Electrical same circuit\$4 same arrange\$4 same display\$3 and input\$4 same terminal same receiv \$4 same signal\$1 and first same memory same element\$1 and stor\$4 same information same first same signal\$1 and driv\$4 same element\$1 same coupl\$4 same first same memory same element\$1 and output \$6 second same signal\$1 and output\$4 same terminal \$1 and accord\$4 and information same first same signal\$1 and calibrat\$4 same circuit\$4 same coupl \$4 and between and driv\$4 same element\$1 and input \$4 same terminal\$1 and match\$4 same potential\$1 same difference and between and driv\$4 same element\$1 and input\$4 same terminal\$1 and during and calibrat\$4 same phase\$1 and prior same receiv\$4 and first same signal\$1 and match\$3 same voltage\$1 and chang\$4 same requir\$4 and input\$4 same terminal\$1 and during and subsequent and program\$5 same phase\$1 and during and program\$6 same phase\$1 and second same signal\$1 and program \$6 same value and during and previous and program \$6 same phase\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 14:23
S8	3153	display\$4 same (polymer same light\$4 same emit\$4 same diode\$1 or small same molecule same light \$3 same emit\$4 same diode \$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 21:30

S9	1254	display\$4 same (polymer same light\$4 same emit\$4 same diode\$1 or small same molecule same light \$3 same emit\$4 same diode \$1) and active same matrix	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 21:30
S10	1042	display\$4 same (polymer same light\$4 same emit\$4 same diode\$1 or small same molecule same light \$3 same emit\$4 same diode \$1) and active same matrix and pixel\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 21:31
S11	563	display\$4 same (polymer same light\$4 same emit\$4 same diode\$1 or small same molecule same light \$3 same emit\$4 same diode \$1) and active same matrix and pixel\$1 and row\$1 and column\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 21:31
S12	195	display\$4 same (polymer same light\$4 same emit\$4 same diode\$1 or small same molecule same light \$3 same emit\$4 same diode \$1) and active same matrix and pixel\$1 and row\$1 and column\$1 and program\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 21:32
S13	54	display\$4 same (polymer same light\$4 same emit\$4 same diode\$1 or small same molecule same light \$3 same emit\$4 same diode \$1) and active same matrix and pixel\$1 and row\$1 and column\$1 and program\$4 and signal\$1 same process \$4 same circuit\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 21:32
S14	53	display\$4 same (polymer same light\$4 same emit\$4 same diode\$1 or small same molecule same light \$3 same emit\$4 same diode \$1) and active same matrix and pixel\$1 and row\$1 and column\$1 and program\$4 and signal\$1 same process \$4 same circuit\$4 and control\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 21:33

S15	14	display\$4 same control\$4 same (polymer same light \$4 same emit\$4 same diode \$1 or small same molecule same light\$3 same emit\$4 same diode\$1) and active same matrix and pixel\$1 and row\$1 and column\$1 and program\$4 and signal \$1 same process\$4 same circuit\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 21:33
S16	9	display\$4 same control\$4 same (polymer same light \$4 same emit\$4 same diode \$1 or small same molecule same light\$3 same emit\$4 same diode\$1) and active same matrix and pixel\$1 and row\$1 same driv\$4 and column\$1 same driv\$4 and program\$4 and signal\$1 same process\$4 same circuit\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 21:34
S17	9	display\$4 same control\$4 same (polymer same light \$4 same emit\$4 same diode \$1 or small same molecule same light\$3 same emit\$4 same diode\$1) and active same matrix and pixel\$1 and row\$1 same driv\$4 and column\$1 same driv\$4 and program\$4 and signal\$1 same process\$4 same circuit\$4 and data same line \$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 21:34
S18	3	display\$4 same control\$4 same (polymer same light \$4 same emit\$4 same diode \$1 or small same molecule same light\$3 same emit\$4 same diode\$1) and active same matrix and pixel\$1 same program\$4 and row \$1 same driv\$4 and column \$1 same driv\$4 and signal \$1 same process\$4 same circuit\$4 and data same line \$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 21:35

S19	3	display\$4 same control\$4 same (polymer same light \$4 same emit\$4 same diode \$1 or small same molecule same light\$3 same emit\$4 same diode\$1) and active same matrix and pixel\$1 same program\$4 and row \$1 same driv\$4 and column \$1 same driv\$4 and signal \$1 same process\$4 same circuit\$4 and data same line \$1 same driv\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 21:43
S20	19	display\$4 same control\$4 same (polymer same light \$4 same emit\$4 same diode \$1 or small same molecule same light\$3 same emit\$4 same diode\$1) and active same matrix and pixel\$1 same program\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 21:44
S21	1	display\$4 same control\$4 same (polymer same light \$4 same emit\$4 same diode \$1 or small same molecule same light\$3 same emit\$4 same diode\$1) and active same matrix and pixel\$1 same program\$4 and calibrat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 21:44
S22	8	display\$4 same control\$4 same (polymer same light \$4 same emit\$4 same diode \$1 or small same molecule same light\$3 same emit\$4 same diode\$1) and pixel\$1 same program\$4 and calibrat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 22:00
S23	286	display\$4 same (polymer same light\$4 same emit\$4 same diode\$1 or small same molecule same light \$3 same emit\$4 same diode \$1) and calibrat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 22:01
S24	17	(polymer same light\$4 same emit\$4 same diode\$1 or small same molecule same light\$3 same emit\$4 same diode\$1) and calibrat \$4 same pixel\$1 same program\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 22:02



S25	9	(polymer same light\$4 same emit\$4 same diode\$1 or small same molecule same light\$3 same emit\$4 same diode\$1) and calibrat\$4 same pixel\$1 same current same program\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 22:04
S26	1	display\$4 same control\$4 same (polymer same light\$4 same emit\$4 same diode\$1 or small same molecule same light\$3 same emit\$4 same diode\$1) and active same matrix and pixel\$1 and row\$1 same driv\$4 and column\$1 same driv\$4 and program\$4 and signal\$1 same process\$4 same circuit\$4 and data same line\$1 and calibrat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 22:09
S27	87774	(EL or electroluminescent) same display\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 22:10
S28	12	(EL or electroluminescent) same display\$4 and pixel\$1 same program\$4 same current same calibrat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 22:11
S29	16	(EL or electroluminescent) and pixel\$1 same program\$4 same current same calibrat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 22:12
S30	73	(EL or electroluminescent) and pixel\$1 same program\$4 same current and calibrat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 22:23
S31	14	(EL or electroluminescent) and pixel\$1 same program\$4 same current and calibrat\$4 same row\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 22:23
S32	226	(EL or electroluminescent) and calibrat\$4 same row\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 22:24

S33	58	(EL or electroluminescent) and calibrat\$4 same row\$1 same pixel\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 22:25
S34	13	(EL or electroluminescent) and calibrat\$4 same row\$1 same pixel\$1 and pixel\$1 same program\$4 same current	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 22:25
S35	31	display\$4 and calibrat\$4 same row\$1 same pixel\$1 and pixel\$1 same program \$4 same current	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 22:27
S36	0	acquiring same image\$! same both same side same display\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/04 11:45
S37	0	acquir\$4 same image\$1 same both same side\$1 same display\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/04 11:45
S38	3	acquir\$4 same image\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/04 11:45
S39	0	acquir\$4 and image\$1 same both same side\$1 same display\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/04 11:46
S40	0	acquir\$4 and image\$1 and both same side\$1 same display\$4 same screen\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/04 11:47
S41	0	acquir\$4 and image\$1 and both same side\$1 and display\$4 same screen\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/04 11:47
S42	57721	(acquir\$4 or obtain\$4 or form\$4) and image\$1 and both same side\$1 and display\$4 same screen\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/04 11:48

S43	42466	(acquir\$4 or obtain\$4 or form\$4) same image\$1 and both same side\$1 and display\$4 same screen\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/04 11:48
S44	7200	(acquir\$4 or obtain\$4 or form\$4) same image\$1 same both same side\$1 and display\$4 same screen\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/04 11:49
S45	817	(acquir\$4 or obtain\$4 or form\$4) adj image\$1 same both same side\$1 and display\$4 same screen\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/04 11:49
S46	124	(acquir\$4 or obtain\$4 or form\$4) adj image\$1 same both same side\$1 same display\$4 same screen\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/04 11:49
S47	44	(acquir\$4 or obtain\$4 or form\$4) adj image\$1 same both same side\$1 same display\$4 adj screen\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/04 11:50
S48	19	(acquir\$4 or obtain\$4 or form\$4) adj image\$1 same both adj side\$1 same display\$4 adj screen\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/04 11:50
S49	25	display\$4 and calibrat\$4 same row\$1 same pixel\$1 and pixel\$1 same program\$4 same current and input\$ \$ and output\$4 and driv\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 13:27
S50	16	display\$4 and calibrat\$4 same row\$1 same pixel\$1 and pixel\$1 same program\$4 same current and input\$ \$ and output\$4 and driv\$4 and switch\$4 same control\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 13:27
S51	64	(EL or electroluminescent) same display\$4 and transistor\$1 same calibrat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 13:38
S52	64	(EL or electroluminescent) same display\$4 and transistor\$6 same calibrat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 13:38

S53	750938	(EL or electroluminescent) same display\$4 and transistor\$6 same calibrat \$4 and input\$4 sane terminal\$1 and output\$4 same terminal\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 13:41
S54	22	(EL or electroluminescent) same display\$4 and transistor\$6 same calibrat \$4 and input\$4 same terminal\$1 and output\$4 same terminal\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 13:41
S55	15	(EL or electroluminescent) same display\$4 and transistor\$6 same calibrat \$4 and input\$4 same terminal\$1 and output\$4 same terminal\$1 and memory	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 13:42
S56	2	"6414661".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 14:15
S57	2	"6421033".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 14:16
S58	2	"20010052606"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 14:18
S59	12	"1288905"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 14:19
S60	5	"2002071379"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 14:21
S61	0	"200217289"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 14:22
S62	4	"2002017289"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 14:22

S63	2	"6414661".pn. and calibrat \$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 14:30
S64	0	"6421033".pn. and calibrat \$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 14:30
S65	0	"20010052606" and calibrat \$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 14:30
S66	0	"1288905" and calibrat\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 14:30
S67	0	"2002071379" and calibrat \$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 14:30
S68	0	"2002017289" and calibrat \$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 14:31
S69	8	"2381643"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 14:31
S70	0	"2381643" and calibrat\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 14:31
S71	0	"199848403"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 14:31
S72	1	"1998048403"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 14:32

S73	0	"1998048403" and calibrat \$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 14:32
S74	14	Electrical same circuit\$4 same arrange\$4 same display\$3 and input\$4 same terminal same receiv \$4 same signal\$1 and first same memory same element\$1 and stor\$4 same information same first same signal\$1 and driv\$4 same element\$1 same coupl\$4 same first same memory same element\$1 and output \$6 second same signal\$1 and output\$4 same terminal \$1 and accord\$4 and information same first same signal\$1 and calibrat\$4 same circuit\$4 same coupl \$4 and between and driv\$4 same element\$1 and input \$4 same terminal\$1 and match\$4 same potential\$1 same difference and between and driv\$4 same element\$1 and input\$4 same terminal\$1 and during and calibrat\$4 same phase\$1 and prior same receiv\$4 and first same signal\$1 and match\$3 same voltage\$1 and chang\$4 same requir\$4 and input\$4 same terminal\$1 and during and subsequent and program\$5 same phase\$1 and during and program\$6 same phase\$1 and second same signal\$1 and program \$6 same value and during and previous and program \$6 same phase\$1 AND CALIBRAT\$4 ADJ TRANSISTOR\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 14:46

S75	14	Electrical same circuit\$4 same arrange\$4 same display\$3 and input\$4 same terminal same receiv\$4 same signal\$1 and first same memory same element\$1 and stor\$4 same information same first same signal\$1 and driv\$4 same element\$1 same coupl\$4 same first same memory same element\$1 and output\$6 second same signal\$1 and output\$4 same terminal\$1 and accord\$4 and information same first same signal\$1 and calibrat\$4 same circuit\$4 same coupl\$4 and between and driv\$4 same element\$1 and input\$4 same terminal\$1 and match\$4 same potential\$1 same difference and between and driv\$4 same element\$1 and input\$4 same terminal\$1 and during and calibrat\$4 same phase\$1 and prior same receiv\$4 and first same signal\$1 and match\$3 same voltage\$1 and chang\$4 same requir\$4 and input\$4 same terminal\$1 and during and subsequent and program\$5 same phase\$1 and during and program\$6 same phase\$1 and second same signal\$1 and program\$6 same value and during and previous and program\$6 same phase\$1 AND CALI BRAT\$4 ADJ TRANSISTOR\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 17:27
S76	2	"20070182684"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 17:34
S77	1	"20070182684" AND CALI BRAT\$4 ADJ TRANSISTOR\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 17:35

S78	1	"20070182684" AND CALIBRAT\$4 ADJ TRANSISTOR\$1 AND MEMORY	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 17:36
-----	---	---	---	----	-----	---------------------

**EAST Search History (I nterference)**

< This search history is empty >

**1/ 6/ 2010 11:43:56 PM**

**C:\ Documents and Settings\ pdharia\ My Documents\ EAST\ Workspaces\ 10598765 01-01-2010.  
wsp**